

Application scenario



Manufacturing Industry

- 1. Assembling auto components
- 2. Mechanical manufacturing
- Capturing scanning data for a manufacturing production line passing station
- 4. Aviation
- 5. Semiconductor technology











The Seuic HS205DP is a handheld 2D image scanner designed for complexity environments, especially suitable for the high requirements in industries. This device's unique illumination mode makes it more effective at reading DPM barcodes on reflective, curved, and colored backgrounds.

Appearance and grip feature Seuic Logo Design





Optimized reading of complex barcodes















Double-colored lighting sources, three-color illumination Seuic




Intelligently adjust the lighting mode to automatically adapt to barcodes with different background colors and materials.



Double-colored lighting sources, three-color illumination Seuic




Intelligently adjust the lighting mode to automatically adapt to barcodes with different background colors and materials.



Double-colored lighting sources, three-color illumination Seuic



Intelligently adjust the lighting mode to automatically adapt to barcodes with different background colors and materials.



Fill-in light with multi-color, powerful decoding



Uniquely designed lighting mode optimizes DPM code reading on curved, reflective, multi-color backgrounds.


Reflective curved barcode















Reflective plane surface




















Engraved barcode with multi-color












√ Multi-color light source adaptation









Three-direction LED reminder, friendly interaction



• The top cover of the equipment displays a three-direction LED reading status reminder and battery capacity indicator; the equipment's status is visible at a glance.



Multi-angle reminder, more clear



Green light
flashed
Decoding succeeded



Red light flashed
Decoding failed

Packing list





2. USB cable

3. Quick start Guide / Warranty Card

4. Package box



To select the suitable product model for the application



Host/Acces sories	Product name	Product model	Part No.	Configuration Instructions		
Host standard	Seuic HS205DP	-2530	8110001001	three-color light source	DPM lens	USB interface cable
Optional accessories	Serial communication cable	CBL-RS232-RJ45-L2000	101170500497	HS205DP series scanner RS232 communication cable, length 2m straight, If there is no power supply, it must be used with a 5V/2A power adapter		
	5V/2A Adapter	TPQ-200A050200CW01	102020000152	5.0V,2.0A Power Adapter, CH Plug		
		FX18E-050200G	102020000190	5.0V,2.0A Power Adapter, EU Plug		
		FX18B-050200G	102020000189	5.0V,2.0A Power Adapter, UK Plug		
		FX2U-050200U	102020000197	5.0V,2.0A Power Adapter, US Plug		

Remark:

USB interface cables come standard with Seuic HS205DP scanners; if you need to order a serial port model, please place an order according to the serial port communication cable and 5V/2A adapter in the corresponding configuration USB model + accessories list.

Order example:

USB interface model: Seuic HS205DP-2530

Serial interface model with CH plug adapter: Seuic HS205DP-2530 +CBL-RS232-RJ45-L2000 + TPQ-200A050200CW01

Seuic Smart Tools, More Durable, More Efficient



SEUIC Technologies Co., Ltd.

&: Autoid Seuic

@:en.seuic.com

☑: Marketing@seuic.com

②: NO.15 Xinghuo Road, High-tech

development zone, Nanjing